	Participation and a second sec	Driver: Even:::		0	Qualify:	Mata		
			रेख		lidsh:	Best Lep Time: _	estlepTime:	
Front Suspension:						-		
Ride Height:	_	Ball Stud Spacing:			Steering	g Bellcrank Position: Up	Down	
Camber:	$\dashv$	Dali Otuu Opacing.			Dreet mg			
Toe:	$\dashv$	Ball Stud Spacing:			Ball Stu	d Spacing:		
Anti-Roll Bar:	$\dashv$	Dan Obad Opacing.			Dan Boa	d opdoling.		
Arm Type:	Bump St	eer Spacing:			Ball Stu	d Spacing:		
Tower Type:						d Spacing:	<sup>32</sup> 1	
Wheel Hex:	 Steering	Plate:	5.0mm			<u> </u>	-1	
Steering Block KPI:								
Caster Block Insert: 0 +2.5 +5			A					
Bulkhead Type:			1				3 2 1	
Kick-Up Angle: -2.5 0 +2.5							_000	
Steering Stop Spacing:			e Height:				9	
Caster Block Spacing: Fwd Back		+3	님			O O O C B A		
Notes:		+2	HI		Caster I	Block Link Mount:		
		+0				ulkhead Spacing:		
Rear Suspension:	`							
Ride Height:	C Mount		Axle He	eight:				
Camber:	Aluminu	m Steel	0 ♥0 3	▲ +3				
Anti-Roll Bar:			0 ♥1 2	<b>▲</b> +2		4	321	
Arm Type:			-		Ca	mber Link Spacing:		
Tower Type:			● ▲1 2	♥ +1	Ba	Ill Stud Spacing:		
Arm Spacing: Fwd Mid Back			● ▲0 3	♥ +0	Ba	III Stud Spacing:		
Wheel Hex:	 D Mount	:						
Hub Type: Std HRC	Aluminu							
Hub Spacing: Fwd Mid Back						69mm HD		
Drive Shaft: CVA's Universals		000000				C	321	
Notes:						200		
		00000			- 2	СВА		
Electronics		Drivetrain		Shocks:				
Radio: Servo:		Differential: Bal	I Diff:		Front	Rear		
EPA: Throttle: % Brake:	%	Height: Ge	ar Diff:	Piston:				
ESC:		Diff Setting:		Thickness:				
ESC Settings:		j   @		Fluid:				
Motor / Wind:	Timing:	Notes:		Spring:				
Pinion: Spur:		Slipper Clutch:		Limiters:	Int: Ext	t: Int: Ex	t: ¥	
Battery Mount: Std Offset		Туре:		Stroke:			t:Stroke	
		# of Pads:		Eyelet:				
Back 1 2 3 4 5	Forward	Setting:		Cup Offset:	0 +5	+9 0 +5	+90 0	
Battery: Weight:		Notes: Kashir		Kashima B			hined Spacers: 🗌	
Notes:			Notes:					
TrackInfo:	Tires		Body, Wa	eight:		Vehicle Comment	S	
Size:	Front Tires:			Body:		Notes:		
Surface:		Front Compound:		Front Wing:				
Traction:	Front Insert	Front Insert:		g:				
Moisture:	Rear Tires:				3°□ 6°□			
Condition:		Rear Compound:		ength:				
	Rear Insert:		Servo Weights:					
Temperature:	Wheel (F/R):		Electronic Weights:					
Notes:			Total Vehicle Weight:					
	·		·					

# For more setups, visit https:///www.associatedelectrics.com/teamassociated/manuals\_and\_setup\_sheets/